

```
$ mysql -u root -p
```

```
Enter password:
```

```
Welcome to the MySQL monitor.  Commands end with ; or \g.
```

```
Your MySQL connection id is 1337
```

```
Server version: 8.0.29 Homebrew
```

```
...
```

```
mysql> show databases;
```

```
+-----+
| Database          |
+-----+
| information_schema|
| mydataserver      |
| mysql              |
| performance_schema|
| sys                |
+-----+
```

```
5 rows in set (0.04 sec)
```

```
mysql> use mydataserver;
```

```
mysql> desc ds_channel;
```

```
+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| id    | varchar(100) | NO   | PRI | NULL    |       |
| name  | varchar(100) | YES  |     | NULL    |       |
| owner | varchar(100) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+
```

```
3 rows in set (0.01 sec)
```

```
mysql> desc ds_influxdb;
```

```
+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| id         | varchar(100) | NO   | PRI | NULL    |       |
| name      | varchar(100) | YES  |     | NULL    |       |
| address   | varchar(100) | YES  |     | NULL    |       |
| port      | int           | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+
```

```

| token          | varchar(100) | YES  |      | NULL  |      |
| organization   | varchar(100) | YES  |      | NULL  |      |
+-----+-----+-----+-----+-----+

```

6 rows in set (0.01 sec)

mysql> desc ds_storage;

```

+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| id             | varchar(100) | NO   | PRI | NULL    |      |
| name          | varchar(100) | YES  |     | NULL    |      |
| address       | varchar(100) | YES  |     | NULL    |      |
| port          | int           | YES  |     | NULL    |      |
| access_key_id | varchar(100) | YES  |     | NULL    |      |
| secret_access_key | varchar(100) | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+

```

6 rows in set (0.00 sec)

mysql> desc ds_ethereum;

```

+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| id            | varchar(100) | NO   | PRI | NULL    |      |
| name         | varchar(100) | YES  |     | NULL    |      |
| address      | varchar(100) | YES  |     | NULL    |      |
| port        | int           | YES  |     | NULL    |      |
| account     | varchar(100) | YES  |     | NULL    |      |
| password    | varchar(100) | YES  |     | NULL    |      |
| private_key | varchar(100) | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+

```

7 rows in set (0.01 sec)

mysql> desc ds_function;

```

+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| id            | varchar(100) | NO   | PRI | NULL    |      |
| name         | varchar(100) | YES  |     | NULL    |      |
| address     | varchar(100) | YES  |     | NULL    |      |
| abi         | varchar(8192) | YES  |     | NULL    |      |

```

```
+-----+-----+-----+-----+-----+
```

4 rows in set (0.00 sec)

```
mysql> desc ds_event;
```

```
+-----+-----+-----+-----+-----+
```

```
| Field      | Type          | Null | Key | Default | Extra |
```

```
+-----+-----+-----+-----+-----+
```

```
| id         | varchar(100)  | NO   | PRI | NULL    |      |
| name       | varchar(100)  | YES  |     | NULL    |      |
| url        | varchar(1024) | YES  |     | NULL    |      |
| method     | varchar(100)  | YES  |     | NULL    |      |
| act_pre    | tinyint(1)    | YES  |     | NULL    |      |
| act_post   | tinyint(1)    | YES  |     | NULL    |      |
| func_id    | varchar(100)  | YES  |     | NULL    |      |
```

```
+-----+-----+-----+-----+-----+
```

7 rows in set (0.01 sec)

```
mysql>
```